

Rates Effective 04/01/2021

TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC
 INTERRUPTIBLE TRANSPORTATION SERVICE RATES
 APPLICABLE TO TRANSPORTATION RENDERED PURSUANT TO RATE SCHEDULE IT AND
 PART 284 OF THE REGULATIONS OF THE FERC
 AS PER SECTION 2.1 - RATE SCHEDULE IT

The rate matrices below are provided as a customer service and are designed to reflect the effective rates and surcharges included in Transco's FERC Gas Tariff for transportation services. In the event of a discrepancy between this information and the rates and surcharges set forth in Transco's tariff, the information set forth in Transco's tariff shall control. If you have any questions, please contact your Commercial Services Representative or Laurie Johnson 713-215-4473 or David Schoellkopf 713-215-4625 of the Rates Department.

RATE PER DT

Commodity Rate - Maximum												
Delivery Zone												
Receipt Zone	1	2	3	4	Zn 4 Pools	Sta 85 Zn 4A Pool	4A	4B	5	Sta 165 Zn 5 Pool	6	Sta 210 Zn 6 Pool
	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)
1	0.07473	0.11590	0.17264	0.38685	0.17264	0.38685	0.43944	0.47155	0.53505	0.38685	0.62147	0.53505
2	0.11590	0.09821	0.15495	0.36916	0.15495	0.36916	0.42175	0.45386	0.51736	0.36916	0.60378	0.51736
3	0.17264	0.15495	0.11378	0.32799	0.11378	0.32799	0.38058	0.41269	0.47619	0.32799	0.56261	0.47619
3 (WSS Wth)	0.11590	0.09821	0.05704	0.27125	0.05704	0.27125	0.32384	0.35595	0.41945	0.27125	0.50587	0.41945
4	0.38685	0.36916	0.32799	0.27125	0.00000	0.27125	0.32384	0.35595	0.41945	0.27125	0.50587	0.41945
Zn 4 Pools	0.38685	0.36916	0.32799	0.27125	0.00000	0.27125	0.37511	0.40722	0.41945	0.27125	0.50587	0.41945
Sta 85 Zn 4A Pool	0.49071	0.47302	0.43185	0.37511	0.10963	0.00000	0.10963	0.14174	0.52331	0.37511	0.60973	0.52331
4A	0.43944	0.42175	0.38058	0.32384	0.10963	0.00000	0.10963	0.14174	0.47204	0.32384	0.55846	0.47204
4B	0.47155	0.45386	0.41269	0.35595	0.14174	0.08915	0.14174	0.08915	0.50415	0.35595	0.59057	0.50415
5	0.53505	0.51736	0.47619	0.41945	0.20524	0.41945	0.47204	0.50415	0.20524	0.00000	0.29166	0.20524
Sta 165 Zn 5 Pool	0.53505	0.51736	0.47619	0.41945	0.20524	0.41945	0.47204	0.50415	0.20524	0.00000	0.29166	0.20524
6	0.62147	0.60378	0.56261	0.50587	0.29166	0.50587	0.55846	0.59057	0.29166	0.14346	0.14346	0.00000
Sta 210 Zn 6 Pool	0.62147	0.60378	0.56261	0.50587	0.29166	0.50587	0.55846	0.59057	0.29166	0.14346	0.14346	0.00000

Commodity Rate - Maximum including the ACA Rate												
Delivery Zone												
Receipt Zone	1	2	3	4	Zn 4 Pools	Sta 85 Zn 4A Pool	4A	4B	5	Sta 165 Zn 5 Pool	6	Sta 210 Zn 6 Pool
	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)	(\$)
1	0.07583	0.11700	0.17374	0.38795	0.17264	0.38685	0.44054	0.47265	0.53615	0.38685	0.62257	0.53505
2	0.11700	0.09931	0.15605	0.37026	0.15495	0.36916	0.42285	0.45496	0.51846	0.36916	0.60488	0.51736
3	0.17374	0.15605	0.11488	0.32909	0.11378	0.32799	0.38168	0.41379	0.47729	0.32799	0.56371	0.47619
3 (WSS Wth)	0.11700	0.09931	0.05814	0.27235	0.05704	0.27125	0.32494	0.35705	0.42055	0.27125	0.50697	0.41945
4	0.38795	0.37026	0.32909	0.27235	0.00000	0.27125	0.32494	0.35705	0.42055	0.27125	0.50697	0.41945
Zn 4 Pools	0.38795	0.37026	0.32909	0.27235	0.00000	0.27125	0.37621	0.40832	0.42055	0.27125	0.50697	0.41945
Sta 85 Zn 4A Pool	0.49181	0.47412	0.43295	0.37621	0.10963	0.00000	0.11073	0.14284	0.52441	0.37511	0.61083	0.52331
4A	0.44054	0.42285	0.38168	0.32494	0.10963	0.00000	0.11073	0.14284	0.47314	0.32384	0.55956	0.47204
4B	0.47265	0.45496	0.41379	0.35705	0.14174	0.08915	0.14284	0.09025	0.50525	0.35595	0.59167	0.50415
5	0.53615	0.51846	0.47729	0.42055	0.20524	0.41945	0.47314	0.50525	0.20634	0.00000	0.29276	0.20524
Sta 165 Zn 5 Pool	0.53615	0.51846	0.47729	0.42055	0.20524	0.41945	0.47314	0.50525	0.20634	0.00000	0.29276	0.20524
6	0.62257	0.60488	0.56371	0.50697	0.29166	0.50587	0.55956	0.59167	0.29276	0.14346	0.14456	0.00000
Sta 210 Zn 6 Pool	0.62257	0.60488	0.56371	0.50697	0.29166	0.50587	0.55956	0.59167	0.29276	0.14346	0.14456	0.00000